

Refine Search


Search Results -

Terms	Documents
L16 or L15	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L17  

Search History

DATE: Saturday, November 20, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L17</u>	L16 or L15	2	<u>L17</u>
<u>L16</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$ and conflict\$ and position\$ and (resolv\$ or resolution\$)).clm.	1	<u>L16</u>
<u>L15</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$ and conflict\$ and position\$ and (resolv\$ or resolution\$)).ab.	1	<u>L15</u>
<u>L14</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$ and conflict\$ and position\$ and (resolv\$ or resolution\$)).ti.	0	<u>L14</u>
<u>L13</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$ and conflict\$ and position\$ and (resolv\$ or resolution\$))	1777	<u>L13</u>
<u>L12</u>	L11 and L10	2	<u>L12</u>
<u>L11</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$).clm.	535	<u>L11</u>
<u>L10</u>	L9 and L8	19	<u>L10</u>
<u>L9</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$).ab.	261	<u>L9</u>

<u>L8</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$).ti.	22	<u>L8</u>
<u>L7</u>	((hierarch\$ or tree\$) and (parent\$ or child\$) and relationship\$)	22256	<u>L7</u>
<u>L6</u>	L4 AND L3	1	<u>L6</u>
<u>L5</u>	L4 or L3	2	<u>L5</u>
<u>L4</u>	((detect\$ or resolv\$) and conflict\$ and data near5 allocation and (hierarch\$ or tree\$) and weight\$).clm.	1	<u>L4</u>
<u>L3</u>	((detect\$ or resolv\$) and conflict\$ and data near5 allocation and (hierarch\$ or tree\$) and weight\$).ab.	2	<u>L3</u>
<u>L2</u>	((detect\$ or resolv\$) and conflict\$ and data near5 allocation and (hierarch\$ or tree\$) and weight\$).ti.	0	<u>L2</u>
<u>L1</u>	(detect\$ or resolv\$) and conflict\$ and data near5 allocation and (hierarch\$ or tree\$) and weight\$	198	<u>L1</u>

END OF SEARCH HISTORY

Hit List

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 20030093284 A1

Using default format because multiple data bases are involved.

L17: Entry 1 of 2

File: PGPB

May 15, 2003

PGPUB-DOCUMENT-NUMBER: 20030093284

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030093284 A1

TITLE: Conflict detection and resolution in association with data allocation

PUBLICATION-DATE: May 15, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Kootale, Krishnadas C.	Mount Arlington	NJ	US	

US-CL-CURRENT: 705/1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 2. Document ID: US 6570567 B1

L17: Entry 2 of 2

File: DWPI

May 27, 2003

DERWENT-ACC-NO: 2003-540014

DERWENT-WEEK: 200351

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Pedigree chart display method for use in genealogy field, involves distinguishing visual representation predetermined relationships between individuals associated with pedigree chart

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Terms

Documents

L16 or L15

2

Display Format: **Change Format**

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

(hierarchy or tree) and (parent or child) and relationship and c

SEARCH



[Feedback](#) [Report a problem](#)

Terms used

hierarchy or tree and parent or child and relationship and conflict and position and resolve or resolution and

Sort results by

Display results

[Save results to a Binder](#)

[Search Tips](#)

☐ [Open results in a new window](#)

Try an [Advanced](#)

Try this search

Results 1 - 20 of 200

Best 200 shown

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on C**

Full text available: [pdf\(4.21 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index ter](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on proc to obtain a better understanding of the execution of the application. The visualization tool we use developed at the University of Waterloo. However, these diagrams are often very complex and do desired overview of the application. In our experience, such tools display repeated occurrences of

2 [Special issue on natural language generation: Collaborative response generation in planning](#)

Jennifer Chu-Carroll, Sandra Carberry

September 1998 **Computational Linguistics**, Volume 24 Issue 3

Full text available: [pdf\(3.45 MB\)](#) [Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

In collaborative planning dialogues, the agents have different beliefs about the domain and about that conflicts arise during the planning process. In this paper, we present a plan-based model for collaborative planning, based on a recursive *Propose-Evaluate-Modify* framework for modeling col identifying strategies for content selection when 1) the system initiates *information-sharing* to gai

3 [A logical framework for reasoning about access control models](#)

Elisa Bertino, Barbara Catania, Elena Ferrari, Paolo Perlasca

February 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue

Full text available: [pdf\(450.80 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)


The increased awareness of the importance of data protection has made access control a relevant management systems. Moreover, emerging applications and data models call for flexible and exp This has led to an extensive research activity that has resulted in the definition of a variety of acc greatly with respect to the access control policies they support. Thus, the need arises for developi

Keywords: Access control framework, access control models analysis, logic programming

4 [Concurrency control in advanced database applications](#)

Naser S. Barghouti, Gail E. Kaiser

September 1991 **ACM Computing Surveys (CSUR)**, Volume 23 Issue 3

Full text available:  [pdf\(4.69 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index term](#)

Keywords: advanced database applications, concurrency control, cooperative transactions, design transaction models, long transactions, object-oriented databases, relaxing serializability

5 Data model issues for object-oriented applications

Jay Banerjee, Hong-Tai Chou, Jorge F. Garza, Won Kim, Darrell Woelk, Nat Ballou, Hyoung-Joo Kim
January 1987 **ACM Transactions on Information Systems (TOIS)**, Volume 5 Issue 1

Full text available:  [pdf\(1.99 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)

Presented in this paper is the data model for ORION, a prototype database system that adds pers created and manipulated in object-oriented applications. The ORION data model consolidates and concepts found in many object-oriented systems, such as objects, classes, class lattice, methods, are reviewed and three major enhancements to the conventional object-oriented data model, nan

6 Gross motion planning—a survey

Yong K. Hwang, Narendra Ahuja
September 1992 **ACM Computing Surveys (CSUR)**, Volume 24 Issue 3

Full text available:  [pdf\(6.40 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)

Motion planning is one of the most important areas of robotics research. The complexity of the m hindered the development of practical algorithms. This paper surveys the work on gross-motion p planners for point robots, rigid robots, and manipulators in stationary, time-varying, constrained, environments. The general issues in motion planning are explained. Recent approaches and their described, a ...

Keywords: collision detection, computational geometry, implementation, motion planning, obsta spatial representation

7 Tools and transformations—rigorous and otherwise—for practical database design

Arnon Rosenthal, David Reiner
June 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 2

Full text available:  [pdf\(3.19 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)

We describe the tools and theory of a comprehensive system for database design, and show how multiple conceptual and logical design processes. The Database Design and Evaluation Workbench rigorous, information-content-preserving approach to schema transformation, but combines it wit user interactions. The main contribution lies in illustrating how theory was adapted to a practical : consistency ...

Keywords: applications of database theory, computer-aided software engineering, data model tr database equivalence, design heuristics, entity-relationship model, heuristics, normalization, view

8 Controlling access in multiuser interfaces

Prasun Dewan, Honghai Shen
March 1998 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 5 Issue 1

Full text available:  [pdf\(182.07 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)

Traditionally, access control has been studied in the areas of operating systems and database ma advent of multiuser interfaces, there is a need to provide access control in the user interface. We


framework for supporting access control in multiuser interfaces. It is based on the classical notion generalized editing-based model of user-application interaction, and a flexible model of user-user

Keywords: access control, collaboration, computer-supported cooperative work, groupware, priv user interface management systems

9 Formal aspects of concurrency control in long-duration transaction systems using the NT/PV

Henry F. Korth, Greg Speegle

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Full text available:  pdf(3.23 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)


In the typical database system, an execution is correct if it is equivalent to some serial execution. serializability, is unacceptable for new database applications which require long-duration transacti transaction model which allows correctness criteria more suitable for these applications. This mod to the standard model: nested transactions, explicit predicates, and multiple versions. These feati

Keywords: concurrency control protocol, semantic information, transaction processing

10 Semantics and implementation of schema evolution in object-oriented databases

Jay Banerjee, Won Kim, Hyoung-Joo Kim, Henry F. Korth

December 1987 **ACM SIGMOD Record , Proceedings of the 1987 ACM SIGMOD international c data**, Volume 16 Issue 3

Full text available:  pdf(1.54 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [ir](#)

Object-oriented programming is well-suited to such data-intensive application domains as CAD/C/ information systems) with multimedia documents. At MCC we have built a prototype object-orient ORION. It adds persistence and sharability to objects created and manipulated in applications imp programming environment. One of the important requirements of these applications is schema ev dy ...

11 PCCTS reference manual: version 1.00

T. J. Parr, H. G. Dietz, W. E. Cohen

February 1992 **ACM SIGPLAN Notices**, Volume 27 Issue 2

Full text available:  pdf(3.77 MB)

Additional Information: [full citation](#), [citations](#), [index terms](#)

12 Cooperative transaction hierarchies: transaction support for design applications

Marian H. Nodine, Stanley B. Zdonik

July 1992 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volu

Full text available:  pdf(2.20 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)


Traditional atomic and nested transactions are not always well-suited to cooperative applications, Cooperative applications place requirements on the database that may conflict with the serializabi transactions to be long, possibly nested, and able to interact with each other in a structured way. framework, called a *cooperative transaction hierarchy*, that allows us to relax the requirement for

Keywords: cooperation, deadlock detection, design transactions, non-serializability, transaction l synchronization, version management

13 Requirements interaction management

William N. Robinson, Suzanne D. Pawlowski, Vecheslav Volkov

June 2003 **ACM Computing Surveys (CSUR)**, Volume 35 Issue 2

Full text available:  [pdf\(1.24 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index ter](#)

Requirements interaction management (RIM) is the set of activities directed toward the discovery critical relationships among sets of requirements, which has become a critical area of requirement at the evolution of supporting concepts and their related literature, presents an issues-based fram and products, and applies the framework in a review of RIM state-of-the-art. Finally, it presents s

Keywords: KAOS, KATE, Oz, Requirements engineering, Telos, WinWin, analysis and design, con design, dependency analysis, distributed intentionality, interaction analysis, software cost reducti system specification, viewpoints

14 Concurrency control issues in nested transactions

Theo Härder, Kurt Rothermel

January 1993 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volu

Full text available:  [pdf\(1.90 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#)

The concept of nested transactions offers more decomposable execution units and finer-grained c recovery than "flat" transactions. Furthermore, it supports the decomposition of a "unit of work" i appropriate distribution in a computer system as a prerequisite of intratransaction parallelism. Ho potential, suitable granules of concurrency control as well as access modes for shared data are ne

Keywords: concurrency control, locking, nested transactions, object hierarchies

15 Active database systems

Norman W. Paton, Oscar Díaz

March 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 1

Full text available:  [pdf\(2.68 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [ir](#)

Active database systems support mechanisms that enable them to respond automatically to even inside or outside the database system itself. Considerable effort has been directed towards improv systems in recent years, and many different proposals have been made and applications suggeste not yielded a single agreed-upon standard approach to the integration of active functionality with

Keywords: active databases, events, object-oriented databases, relational databases

16 Parallel logic programming systems

Jacques Chassin de Kergommeaux, Philippe Codognet

September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3

Full text available:  [pdf\(3.51 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [ir](#)

Parallelizing logic programming has attracted much interest in the research community, because i parallelisms of logic programs. One research stream aims at transparent exploitation of parallelis languages such as Prolog, while the family of concurrent logic languages develops language const express the concurrency—that is, the communication and synchronization between parallel proces

Keywords: AND-parallelism, OR-parallelism, Prolog, Warren Abstract Machine, binding arrays, cc programming, constraints, guard, hash windows, load balancing, massive parallelism, memory m implementation techniques, nondeterminism, scheduling parallel tasks, static analysis

17 Managing multiple and distributed ontologies on the Semantic Web

A. Maedche, B. Motik, L. Stojanovic

November 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**, Vol

Full text available:  pdf(375.18 KB)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

In traditional software systems, significant attention is devoted to keeping modules well separated, thus ensuring that changes in the system are localized to a handful of modules. Reaching that goal. Ontology-based systems on the Semantic Web are just a special class of software principles apply. In this article, we present an integrated framework for managing multiple and di

Keywords: Multiple and distributed ontologies, Ontology evolution

18 Guidance for the use of the Ada programming language in high integrity systems

B. A. Wichmann

July 1998

ACM SIGAda Ada Letters, Volume XVIII Issue 4

Full text available:  pdf(2.93 MB)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This paper is the current result of a study by the ISO HRG Rapporteur group which is being circulated. Those who have contributed to this, but those who have either attended two recent meetings of group or have comments are: Praful V Bhansali (Boeing, USA), Alan Burns (University of York, UK), Bernard Caron (Dan Craigen (ORA, Canada), Nick Johnson MoD, UK), Stephen Michell (Canada), Gilles Motet (DG Roma ...

19 Abstraction-based intrusion detection in distributed environments

Peng Ning, Sushil Jajodia, Xiaoyang Sean Wang

November 2001 **ACM Transactions on Information and System Security (TISSEC)**, Volume 4 Issue

Full text available:  pdf(590.61 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Abstraction is an important issue in intrusion detection, since it not only hides the difference between also allows generic intrusion-detection models. However, abstraction is an error-prone process in intrusion-detection systems (IDSs). This article presents a hierarchical model to support attack sequences in distributed intrusion detection. The model involves three concepts: *system view*, *signature* ...

Keywords: Cooperative information systems, heterogeneous systems, intrusion detection, misuses

20 A concurrency control framework for collaborative systems

Jonathan Munson, Prasun Dewan

November 1996 **Proceedings of the 1996 ACM conference on Computer supported cooperative work**

Full text available:  pdf(1.28 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: collaborative systems, concurrency control, consistency criteria, coupling, merging, transactions

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2001

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#) 

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Your search matched **0** of **1094442** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

(hierarchy or tree) and (parent or child) and relations

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:
No documents matched your query.
Print Format
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved